



Heat Pump Pool Solutions Technical Specifications



Single Phase/Three Phase Units

MODEL		HEPH14	HEPH17	HEPH21	HEPH26	HEPH30	HEPH35
HEATING CAPACITY	kW	14	17	21	26	30	35
	BTU	48000	58000	72000	89000	103000	120000
HEATING INPUT POWER	W	2880	3500	4250	5300	6200	7100
HEATING RUNNING CURRENT	A	13.3	16.1	21 / 7.8	9.5	10.2	12.3
COOLING CAPACITY	W	8600	10300	13500	16000	18000	29000
	BTU	29300	35200	46000	55000	62000	100000
COOLING INPUT POWER	W	2980	3600	4650	5730	6500	9600
COOLING RUNNING CURRENT	A	13.8	16.9	20.1/8.4	10.1	11	17.3
POWER SUPPLY	V/PH/HZ	220V/1Ph/50Hz			380V/3Ph/50Hz		
QUANTITY OF COMPRESSOR		1	1	1	1	1	2
COMPRESSOR TYPE		Scroll	Scroll	Scroll	Scroll	Scroll	Scroll
UNIT CASINGS		High grade stainless steel					
NOISE	dB(A)	58	58	58	58	58	61
WATER CONNECTION	mm	50	50	50	50	50	63
WATER FLOW VOLUME	m ³ /h	5-8	5-8	6-10	6-12	6-14	8-15
WATER PRESSURE DROP	kpa	15	16	16	16	16	18
DIMENSION (LXWXH)	mm	660x660x860	660x660x960	660x660x960	660x660x960	660x660x960	1448x730x1060
NET WEIGHT	kg	105	108	111	112	134	240

All units incorporate:

- Reverse cycle defrost function
- Intelligent LCD controllers
- Panasonic compressors
- PVC titanium heat exchangers

Products comply with (where applicable) CE and New Zealand Safety Standards.
Specifications may be amended from time to time without prior notice.



HPPS
HEAT PUMP POOL SOLUTIONS

Freephone: 0508 46 46 89

www.hpps.co.nz